Journal of

POLYMER SCIENCE

VOLUME X • 1953

Editorial Board: W. T. ASTBURY • P. M. DOTY • R. M. FUOSS • H. MARK

Advisory Board:

T. ALFREY, JR. *Midland, Mich.*	P. H. HERMANS *Utrecht*	E. K. RIDEAL *London*
P. D. BARTLETT *Cambridge, Mass.*	R. HOUWINK *Delft*	CH. SADRON *Strasbourg*
C. W. BUNN *Welwyn Garden City*	M. L. HUGGINS *Rochester, N. Y.*	G. V. SCHULZ *Mainz*
S. CLAESSON *Uppsala*	I. M. KOLTHOFF *Minneapolis, Minn.*	R. SIGNER *Berne*
P. DEBYE *Ithaca, N. Y.*	O. KRATKY *Graz*	G. SMETS *Louvain*
V. DESREUX *Liége*	W. KUHN *Basel*	H. M. SPURLIN *Wilmington, Del.*
M. G. EVANS *Manchester*	M. MAGAT *Paris*	W. H. STOCKMAYER *Cambridge, Mass.*
P. J. FLORY *Ithaca, N. Y.*	C. S. MARVEL *Urbana, Ill.*	A. V. TOBOLSKY *Princeton, N. J.*
K. FREUDENBERG *Heidelberg*	H. W. MELVILLE *Birmingham*	C. WALLING *New York, N. Y.*
G. GEE *Welwyn Garden City*	G. NATTA *Milan*	G. S. WHITBY *Akron, Ohio*
J. J. HERMANS *Groningen*	C. C. PRICE *Notre Dame, Ind.*	B. H. ZIMM *Schenectady, N. Y.*

INTERSCIENCE PUBLISHERS, INC.

Copyright, 1953, by Interscience Publishers, Inc.

CONTENTS

Vol. X, Nos. 1-6, 1953

Journal of Polymer Science

Number 1, January

Herdan, G.: Fitting of Polymer Distributions of Molecular Weight by the Method of Moments 1

Harris, Thomas G., and Neville, Harvey A.: Effects of the Ionizable Components in Cast Phenoplasts 19

Horn, P., et Benoit, H.: Étude Expèrimentale de la Lumière Diffusée par des Bâtonnets Anisotropes 29

Marvel, C. S., Menikheim, V. C., Inskip, H. K., Taft, W. K., and Labbe, B. G.: Copolymerization of Vinylsulfonic Acid Derivatives with Butadiene 39

Barb, W. G.: Role of Depropagation Reactions in the Copolymerization of Styrene and Sulfur Dioxide 49

Schauenstein, E., und Hochenegger, M.: Spaltung des Fibrinmoleküls mittels Cupriäthylendiamin 63

Schulz, G. V., Bodmann, O., und Cantow, H.-J.: Über ein neues Differentialrefraktometer 73

Schulz, G. V., Cantow, H.-J., und Meyerhoff, G.: Bestimmung des Durchmessers geknäuelter Fadenmoleküle aus Lichtzerstreuung und Viskositätszahl: Untersuchungen an Polymethylmethacrylaten 79

Klevens, H. B.: Extreme Ultraviolet Absorption Spectra of Various Polymers 97

Reichmann, M. E., Bunce, Barbara H., and Doty, Paul: The Changes Induced in Sodium Desoxyribonucleate by Dilute Acid 109

Newman, Seymour, and Flory, Paul J.: Macromolecular Extension and Hydrodynamic Parameters in Intrinsic Viscosity (Letter to the Editors) 121

Schurz, Josef: Shear Dependence of the Viscosity-Concentration Equation (Letter to the Editors) 123

Roseveare, W. E., and Poore, Louise: Method of Determining Intrinsic Viscosity from Data at One Concentration (Letter to the Editors) 126

Reviews 127

Number 2, February

International Union of Pure and Applied Chemistry: Report on Molecular-Weight Measurements of Standard Polystyrene Samples 129

Klaassens, K. H., and Gisolf, J. H.: Polymerization in Bulk at High Pressures 149

Porod, G.: X-Ray and Light Scattering by Chain Molecules in Solution 157

Guinand, Sylvanie, Labeyrie, Françoise, et Tonnelat, Jacques: Sur l'Étude des Mélanges de Protéines au Moyen de la Lumière Diffusée 167

SAYRE, EDWARD, V.: The Distribution of Polymer Fractions 175
CRAGG, L. H., and FERN, G. R. H.: Viscometric Detection of Branching in Polymers. II. Branching in Poly(butadiene-*co*-styrene) as a Function of Polymerization Temperature 185
POLYMER NEWS 200
CHARLESBY, A.: Investigation of Halo Patterns of Amorphous Polymers 201
MELLER, ALEXANDER: Kinetics of Removal of the Easily Accessible Fraction from Cellulose Fibers in Acid Hydrolysis 213
CHAMPETIER, G., et LEGRAND, C.: Hydration de Diverses Formes Polymorphes de la Cellulose 223
WALES, M., MARSHALL, P. A., and WEISSBERG, S. G.: Intrinsic Viscosity-Molecular Weight Relationships for Dextran 229
DRECHSEL, PAUL, HOARD, J. L., and LONG, F. A.: Diffusion of Acetone into Cellulose Nitrate Films and Study of the Accompanying Orientation 241
KATCHALSKY, A., and STERNBERG, N.: Role of Velocity Gradient in Viscosity Measurements of Polymethacrylic Acid Solutions (Letter to the Editors) 253
REVIEW 256

NUMBER 3, MARCH

THICKENS, R. W.: Determination of the Rheological Properties of Fluids by an Electronic Method 257
COBBS, JR., W. H., and BURTON, R. L.: Crystallization of Polyethylene Terephthalate 275
RIVLIN, R. S., and THOMAS, A. G.: Rupture of Rubber. I. Characteristic Energy for Tearing 291
ROUSSET, A., et LOCHET, R.: Diffusion Moléculaire de la Lumière: Les Constantes de Lord Rayleigh des Liquides Étalons 319
MCLAREN, A. D., GENTILE, PHILIP, KIRK, JR., DAVID C., and LEVIN, NORMAN A.: Photochemistry of Proteins. XVII. Inactivation of Enzymes with Ultraviolet Light and Photolysis of the Peptide Bond 333
BAMFORD, C. H., and TOMPA, H.: On the Calculation of Molecular Weight Distributions from Kinetic Schemes (Letter to the Editors) 345
ZIMM, BRUNO H.: Comments on the Question of the Correct Values for the Light Scattering Powers of Pure Liquids (Letter to the Editors) 351

NUMBER 4, APRIL

RICHARDSON, W. S., and SACHER, A.: Infrared Examination of Various Polyisoprenes 353
FRANK, H. P., and LEVY, GABOR B.: Determination of Molecular Weight of Polyvinylpyrrolidone 371
PINNER, S. H.: Methacrylamide Polymers and Copolymers and Their Alkaline Hydrolysis 379
HILLER, JR., L. A.: The Reaction of Cellulose Acetate with Acetic Acid and Water 385
PETERLIN, ANTON: Modèle statistique des grosses molécules à chaînes courtes. V. Diffusion de la lumière 425
BISCHOFF, J., and DESREUX, V.: Properties of Dilute Solutions of Polymethylmethacrylate. II 437

FRANK, CHARLES E., KRAUS, GERALD, and HAEFNER, ALBERT J.: Copolymerization of Dienes with Acrylic and Methacrylic Acids (Letter to the Editors) 441
REHNER, JR., JOHN: Relation between Rate Constants, Frequency Factors, and Activation Energies in Polymerization Reactions (Letter to the Editors) 442
FEINLAND, RAYMOND, BALDWIN, DAVID E., and GREGOR, HARRY P.: Sulfonated Polystyrene-Dichlorostyrene-Divinylbenzene Ion Exchange Resins (Letter to the Editors) 445
KERSTA, L. G.: An Interesting Property of Certain Conductive Rubbers (Letter to the Editors) 447

NUMBER 5, MAY

PEDERSEN, H. LETH: Relation between Stress Relaxation and Aging Resistance of Rubber Vulcanizates. II. Effect of Copper in Various Accelerated Stocks 449
JELLINEK, H. H. G.: Degradation of Long Chain Molecules as a Reverse Polymerization Process. Part II 457
NEWMAN, SEYMOUR, LOEB, LEOPOLD, and CONRAD, CARL M.: Viscosity, Sedimentation, Diffusion, and Osmotic Behavior of Long-Chain Nitrocellulose Molecules 463
REVIEWS 488
SIMPSON, W., HOLT, T., and ZETIE, R. J.: The Structure of Branched Polymers of Diallyl Phthalate 489
SIMHA, ROBERT: On the Degradation of Long Chain Molecules 499
WILSON, III, C. W., and PAKE, G. E.: Nuclear Magnetic Resonance Determination of Degree of Crystallinity in Two Polymers (Letter to the Editors) 503
JELLINEK, H. H. G.: Thermal Degradation of Polystyrene and Polyethylene (Letter to the Editors) 506
LIQUORI, A. M., MELE, A., and CARELLI, V.: Ultraviolet Absorption Spectra of Polyamides (Letter to the Editors) 510

NUMBER 6, JUNE

M. G. EVANS: In Memoriam 513
NARAYANAMURTI, D., and KUMAR, VIDYA BHUSHAN: Diffusion of Organic Molecules Through Wood 515
CONIX, ANDRÉ, and SMETS, G.: Benzoyl Peroxide Initiated Polymerization Kinetics of Vinyl Monomers in Various Solvents 525
ARLMAN, E. J., BOOG, W., and COUMOU, D. J.: A New Phenomenon in Flow Birefringence of Solutions of Macromolecular Substances 543
OTH, A., OTH, J., et DESREUX, V.: Calibrage de la Diffusion Lumineuse 551
POLYMER NEWS 558
ULLMAN, R., and HERMANS, J. J.: Notes on the Statistics of Polymer Chains 559
NELSON, MARY L., and TRIPP, VERNE W.: Determination of the Leveling-Off Degree of Polymerization of Cotton and Rayon 577
STANNETT, V., and SZWARC, M.: Polycondensation of Six-Membered Lactones (Letter to the Editors) 587
GOLUB, M. A.: Attempted Fractionation of GR-S by Means of Selective Gelation in the Latex (Letter to the Editors) 591
COOPER, W., and SMITH, R. K.: Dilatometry in the Polymerization of Styrene (Errata, article in *J. Polymer Sci.*, 9, 463–465, 1952) .. 594
REVIEWS 595

AUTHOR INDEX, VOLUME X

Arlman, E. J., Boog, W., and Coumou, D. J.: A new phenomenon in flow birefringence of solutions of macromolecular substances, 543

Baldwin, David E.: see Feinland, Raymond

Bamford, C. H., and Tompa, H.: Letter to the Editors. On the calculation of molecular weight distributions from kinetic schemes, 345

Barb, W. G.: Role of depropagation reactions in the copolymerization of styrene and sulfur dioxide, 49

Benoit, H.: see Horn, P.

Bischoff, J., and Desreux, V.: Properties of dilute solutions of polymethylmethacrylate. II, 437

Bodmann, O.: see Schulz, G. V.

Boog, W.: see Arlman, E. J.

Burton, R. L.: see Cobbs, Jr., W. H.

Cantow, H.-J.: see Schulz, G. V.

Carelli, V.: see Liquori, A. M.

Champetier G., et Legrand, C.: Hydratation de diverses formes polymorphes de la cellulose, 223

Charlesby, A.: Investigation of halo patterns of amorphous polymers, 201

Cobbs, Jr., W. H., and Burton, R. L.: Crystallization of polyethylene terephthalate, 275

Conix, André, and Smets, G.: Benzoyl peroxide initiated polymerization kinetics of vinyl monomers in various solvents, 525

Conrad, Carl M.: see Newman, S.

Cooper, W., and Smith, R. K.: Dilatometry in the polymerization of styrene: *errata*, 594

Coumou, D. J.: see Arlman, E. J.

Cragg, L. H., and Fern, G. R. H.: Viscometric detection of branching in polymers. II. Branching in poly(butadiene-*co*-styrene) as a function of polymerization temperature, 185

Desreux, V.: see Bischoff, J.; Oth, A.

Drechsel, Paul, Hoard, J. L., and Long, F. A.: Diffusion of acetone into cellulose nitrate films and study of the accompanying orientation, 241

Feinland, Raymond, Baldwin, David E. and Gregor, Harry P.: Letter to the Editors. Sulfonated polystyrene-dichlorostyrene-divinylbenzene ion exchange resins, 445

Fern, G. R. H.: see Cragg, L. H.

Flory, Paul J.: see Newman, Seymour

Frank, Charles E., Kraus, Gerard, and Haefner, Albert J.: Letter to the Editors. Copolymerization of dienes with acrylic and methacrylic acids, 441

Frank, H. P., and Levy, Gabor B.: Determination of molecular weight of polyvinylpyrrolidone, 371

Gentile, Philip: see McLaren, A. D.

Gisolf, J. H.: see Klaassens, K. H.

Golub, M. A.: Letter to the Editors. Attempted fractionation of GR-S by means of selective gelation in the latex, 591

Gregor, Harry P.: see Feinland, Raymond

Guinand, Sylvanie, Labeyrie, Françoise, et Tonnelat, Jacques: Sur l'étude des mélanges de protéines au moyen de la lumière diffusée, 167

Haefner, Albert J.: see Frank, Charles E.

Harris, Thomas G., and Neville, Harvey A.: Effects of the ionizable components in cast phenoplasts, 19

Herdan, G.: Fitting of Polymer Distributions of molecular weight by the method of moments, 1

Hermans, J. J.: see Ullman, R.

Hiller, Jr., L. A.: The reaction of cellulose acetate with acetic acid and water, 385

Hoard, J. L.: see Drechsel, Paul

Hochenegger, M.: see Schauenstein, E.

Holt, T.: see Simpson, W.

Horn, P., et Benoit, H.: Étude expèrimentale de la lumière diffusée par des bâtonnets anisotropes, 29

Inskip, H. K.: see Marvel, C. S.

Jellinek, H. H. G.: Degradation of long chain molecules as a reverse polymerization process. Part II, 457

——: Letter to the Editors. Thermal degradation of polystyrene and polyethylene, 506

Katchalsky, A., and Sternberg (Shavit), N.: Letter to the Editors. Role of velocity gradient in viscosity measurements of polymethacrylic acid solutions, 253

Kersta, L. G.: Letter to the Editors. An interesting property of certain conductive rubbers, 447

Kirk, Jr., David C.: see McLaren, A. D.

Klaassens, K. H., and Gisolf, J. H.: Polymerization in bulk at high pressures, 149

Klevens, H. B.: Extreme ultraviolet absorption spectra of various polymers, 97

Kraus, Gerard: see Frank, Charles E.

Kumar, Vidya Bhushan: see Narayanamurti, D.

Labbe, B. G.: see Marvel, C. S.

Labeyrie, Françoise: see Guinand, S.

Legrand, C.: see Champetier, G.

Levin, Norman A.: see McLaren, A. D.

Levy, Gabor B.: see Frank, H. P.

Liquori, A. M., Mele, A., and Carelli, V.: Letter to the Editors. Ultraviolet absorption spectra of polyamides, 510
Lochet, R.: see Rousset, A.
Loeb, Leopold: see Newman, Seymour
Long, F. A.: see Drechsel, Paul

McLaren, A. D., Gentile, Philip, Kirk, Jr., David C., and Levin, Norman A.: Photochemistry of proteins. XVII. Inactivation of enzymes with ultraviolet light and photolysis of the peptide bond, 333
Marshall, P. A.: see Wales, M.
Marvel, C. S., Menikheim, V. C., Inskip, H. K., Taft, W. K., and Labbe, B. G.: Copolymerization of Vinylsulfonic acid derivatives with butadiene, 39
Mele, A.: see Liquori, A. M.
Meller, Alexander: Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, 213
Melville, H. W.: M. G. Evans, in Memoriam, 513
Menikheim, V. C.: see Marvel, C. S.
Meyerhoff, G.: see Schulz, G. V.

Narayanamurti, D., and Kumar, Vidya Bhushan: Diffusion of organic molecules through wood, 515
Nelson, Mary L., and Tripp, Verne W.: Determination of the leveling-off degree of polymerization of cotton and rayon, 577
Neville, Harvey A.: see Harris, T. G.
Newman, Seymour, and Flory, Paul J.: Letter to the Editors. Macromolecular extension and hydrodynamic parameters in intrinsic viscosity, 121
——, Loeb, Leopold, and Conrad, Carl M.: Viscosity, sedimentation, diffusion, and osmotic behavior of long-chain nitrocellulose molecules, 463

Oth, A., Oth, J., et Desreux, V.: Calibrage de la lumineuse, 551
Oth, J.: see Oth, A.

Pake, G. E.: see Wilson, III, C. W.
Pedersen, H. Leth: Relation between stress relaxation and aging resistance of rubber vulcanizates. II. Effect of copper in various accelerated stocks, 449
Peterlin, Anton: Modèle statistique des grosses molécules à chaines courtes. V. Diffusion de la lumière, 425
Pinner, S. H.: Methacrylamide polymers and copolymers and their alkaline hydrolysis, 379
Poore, Louise: see Roseveare, W. E.
Porod, G.: X-ray and light scattering by chain molecules in solution, 157

Rehner, Jr., John: Letter to the Editors. Relation between rate constants, frequency factors, and activation energies in polymerization reactions, 442
Reichmann, M. E., Bunce, Barbara H., and Doty, Paul: The changes induced in sodium desoxyribonucleate by dilute acid, 109
Richardson, W. S., and Sacher, A.: Infrared examination of various polyisoprenes, 353
Rivlin, R. S., and Thomas, A. G.: Rupture of rubber. I. Characteristic energy for tearing, 291
Roseveare, W. E., and Poore, Louise: Letter to the Editors. Method of determining intrinsic viscosity from data at one concentration, 126
Rousset, A., et Lochet, R.: Diffusion moléculaire de la lumière: Les constantes de Lord Rayleigh des liquides étalons, 319

Sacher, A.: see Richardson, W. S.
Sayre, Edward V.: The distribution of polymer fractions, 175
Schauenstein, E., und Hochenegger, M.: Spaltung des fibrinmoleküls mittels cupriäthylendiamin, 63
Schulz, G. V., Bodmann, O., und Cantow, H.-J.: Über ein neues differentialrefraktometer, 73
——, Cantow, H.-J., und Meyerhoff, G.: Bestimmung des durchmessers geknäuelter fadenmoleküle aus lichzerstreäuung und viskositätszahl: Untersuchungen an polymethylmethacrylaten 79
Schurz, Josef: Letter to the Editors. Shear dependence of the viscosity-concentration equation, 123
Simha, Robert: On the degradation of long chain molecules, 499
Simpson, W., Holt, T., and Zetie, R. J.: The structure of branched polymers of diallyl phthalate, 489
Smets, G.: see Conix, André
Smith, R. K.: see Cooper, W.
Stannett, V., and Szwarc, M.: Letter to the Editors. Polycondensation of six-membered lactones, 587
Sternberg (Shavit), N.: see Katchalsky, A.
Szwarc, M.: see Stannett, V.

Taft, W. K.: see Marvel, C. S.
Thickens, R. W.: Determination of the rheological properties of fluids by an electronic method, 257
Thomas, A. G.: see Rivlin, R. S.
Tompa, H.: see Bamford, C. H.
Tonnelat, Jacques: see Guinand, Sylvanie
Tripp, Verne W.: see Nelson, Mary L.

Ullman, R., and Hermans, J. J.: Notes on the statistics of polymer chains, 559

Wales, M., Marshall, P. A., and Weissberg, S. G.: Intrinsic viscosity-molecular weight relationships for dextran, 229
Weissberg, S. G.: see Wales, M.
Wilson, III, C. W., and Pake, G. E.: Letter to the Editors. Nuclear magnetic resonance determination of degree of crystallinity in two polymers, 503

Zetie, R. J.: see Simpson, W.
Zimm, Bruno H.: Letter to the Editors. Comments on the question of the correct values for the light scattering powers of pure liquids, 351

SUBJECT INDEX, VOLUME X

Cellulose and Cellulose Derivatives

Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, Alexander Meller, 213

Hydration de diverses formes polymorphes de la cellulose, G. Champetier et C. Legrand, 223

Diffusion of acetone into cellulose nitrate films and study of the accompanying orientation, Paul Drechsel, J. L. Hoard, and F. A. Long, 241

The reaction of cellulose acetate with acetic acid and water, L. A. Hiller, Jr., 385

Viscosity sedimentation, diffusion, and osmotic behavior of long-chain nitrocellulose molecules, Seymour Newman, Leopold Loeb, and Carl M. Conrad, 463

Diffusion of organic molecules through wood, D. Narayamanurti and Vidya Bhushan, 515

Determination of the leveling-off degree of polymerization of cotton and rayon, Mary L. Nelson and Verne W. Tripp, 577

Chemical Reaction of Polymers

Effects of the ionizable components in cast phenoplasts, Thomas G. Harris and Harvey A. Neville, 19

Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, Alexander Meller, 213

Methacrylamide polymers and copolymers and their alkaline hydrolysis, S. H. Pinner, 379

The reaction of cellulose acetate with acetic acid and water, L. A. Hiller, Jr., 385

Copolymerization

Copolymerization of vinylsulfonic acid derivatives with butadiene, C. S. Marvel, V. C. Menikheim, J. K. Inskip, W. K. Taft, and B. G. Labbe, 39

Role of depropagation reactions in the copolymerization of styrene and sulfur dioxide, W. G. Barb, 49

Viscometric detection of branching in polymers. II. Branching in poly (butadiene-*co*-styrene) as a function of polymerization temperature, L. H. Cragg and G. R. H. Fern, 185

Methacrylamide polymers and copolymers and their alkaline hydrolysis, S. H. Pinner, 379

Copolymerization of dienes with acrylic and methacrylic acids, Charles E. Frank, Gerard Kraus, and Albert J. Haefner, 441

Crystallization

Crystallization of Polyethylene terephthalate, W. H. Cobbs, Jr., and R. L. Burton, 275

Nuclear magnetic resonance determination of degree of crystallinity in two polymers, C. W. Wilson, III, and G. E. Pake, 503

Degradation

Role of depropagation reactions in the copolymerization of styrene and sulfur dioxide, W. G. Barb, 49

Spaltung des fibrinmoleküls mittels cupriäthylendiamin, E. Schauenstein und M. Hochenegger, 63

Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, Alexander Meller, 213

Photochemistry of proteins. XVII. Inactivation of enzymes with ultraviolet light and photolysis of the peptide bond, A. D. McLaren, Philip Gentile, David C. Kirk, Jr., and Norman A. Levin, 333

Methacrylamide polymers and copolymers and their alkaline hydrolysis, S. H. Pinner, 379

Degradation of long chain molecules as a reverse polymerization process. Part II, H. H. G. Jellinek, 457

On the degradation of long chain molecules, Robert Simha, 499

Thermal degradation of polystyrene and polyethylene, H. H. G. Jellinek, 506

Attempted fractionation of GR S by means of selective gelation in the latex, M. A. Golub, 591

Fibers

Bestimmung des durchmessers geknäuelter fadenmoleküle aus lichtzerstreuung und viskositätszahl: Untersuchungen an polymethylmethacrylaten, G. V. Schulz, H.-J. Cantow, und G. Meyerhoff, 79

Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, Alexander Meller, 213

Films and Film Properties

Diffusion of acetone into cellulose nitrate films and study of the accompanying

orientation, Paul Drechsel, J. L. Hoard, and F. A. Long, 241

Flow Properties

Determination of the rheological properties of fluids by an electronic method, R. W. Thickens, 257

Instrumentation

Über ein neues differentialrefraktometer, G. V. Schulz, O. Bodmann, und H.-J. Cantow, 73

Light Scattering

Étude expèrimentale de la lumière diffusée par des bâtonnets anisotropes, P. Horn et H. Benoit, 29

Bestimmung des durchmessers genäuelter fadenmoleküle aus lichtzerstreäung und viskositätszahl: Untersuchungen an polymethylmethacrylaten, G. V. Schulz, H.-J. Cantow, und G Meyerhoff, 79

X-ray and light scattering by chain molecules in solution, G. Porod, 157

Sur l'étude des mélanges de protéines au moyen de la lumière diffusée, Sylvanie Guinand, Françoise Labeyrie, et Jacques Tonnelat, 167

Diffusion moléculaire de la lumière: Les constantes de Lord Rayleigh des liquides étalons, A. Rousset et R. Lochet, 319

Comments on the question of the correct values for the light scattering powers of pure liquids, Bruno H. Zimm, 351

Modèle statistique des grosses molécules à chaines courtes. V. Diffusion de la lumière, Anton Peterlin, 425

Calibrage de la diffusion lumineuse, A. Oth, J. Oth, et V. Desreux, 551

Mechanical Properties and the Solid State

Effects of the ionizable components in cast phenoplasts, Thomas G. Harris and Harvey A. Neville, 19

Determination of the rheological properties of fluids by an electronic method, R. W. Thickens, 257

Rupture of rubber. I. Characteristic energy for tearing, R. S. Rivlin and A. G. Thomas, 291

Relation between stress relaxation and aging resistance of rubber vulcanizates. II. Effect of copper in various accelerated stocks, H. Leth Pedersen, 449

Molecular Structure and Shape

Bestimmung des durchmessers geknäuelter fadenmoleküle aus lichtzerstreäuung und viskositätszahl: Untersuchungen an polymethylmethacrylaten, G. V. Schulz, H.-J. Cantow, und G. Meyerhoff, 79

A new phenomenon in flow birefringence of solutions of macromolecular substances, E. J. Arlman, W. Boog, and D. J. Coumou, 543

Molecular Weight and Molecular Weight Distribution

Fitting of polymer distributions of molecular weight by the method of moments, G. Herdan, 1

Report on molecular-weight measurements of standard polystyrene samples, International Union of Pure and Applied Chemistry, 129

The distribution of polymer fractions, Edward V. Sayre, 175

Intrinsic viscosity-molecular weight relationships for dextran, M. Wales, P. A. Marshall, and S. G. Weissberg, 229

On the calculation of molecular weight distributions from kinetic schemes, C. H. Bamford and H. Tompa, 345

Determination of molecular weight of polyvinylpyrrolidone, H. P. Frank and Gabor B. Levy, 371

Nucleic Acids

The changes induced in sodium desoxyribonucleate by dilute acid, M. E. Reichmann, Barbara H. Bunce, and Paul Doty, 109

Osmotic Pressure

Viscosity, sedimentation, diffusion, and osmotic behavior of long-chain nitrocellulose molecules, Seymour Newman, Leopold Loeb, and Carl M. Conrad, 463

Benzoyl peroxide initiated polymerization kinetics of vinyl monomers in various solvents, André Conix and G. Smets, 525

Physical Properties

Effects of the ionizable components in cast phenoplasts, Thomas G. Harris and Harvey A. Neville, 19

Über ein neues differentialrefraktometer, G. V. Schulz, O. Bodmann, und H.-J. Cantow, 73

Extreme ultraviolet absorption spectra of various polymers, H. B. Klevens, 97

Polymerization in bulk at high pressures, K. H. Klaassens and J. H. Gisolf, 149

Infrared examination of various polyisoprenes, W. S. Richardson and A. Sacher, 353

An interesting property of certain conductive rubbers, L. G. Kersta, 447

Viscosity, sedimentation, diffusion, and osmotic behavior of long-chain nitrocellulose molecules, Seymour Newman, Leopold Loeb, and Carl M. Conrad, 463

Nuclear magnetic resonance deter-

mination of degree of crystallinity in two polymers, C. W. Wilson, III, and G. E. Pake, 503
Ultraviolet absorption spectra of polyamides, A. M. Liquori, A. Mele, and V. Carelli, 510
A new phenomenon in flow birefringence of solutions of macromolecular substances, E. J. Arlman, W. Boog, and D. J. Coumou, 543
Dilatometry in the polymerization of styrene, W. Cooper and R. K. Smith. (*Errata*, article in *J. Polymer Sci.*, **9**, 464–465, 1952), 594

Polyelectrolytes

Effects of the ionizable components in cast phenoplasts, Thomas G. Harris and Harvey A. Neville, 19
Role of velocity gradient in viscosity measurements of polymethacrylic acid solutions, A. Katchalsky and N. Sternberg (Shavit), 253
Sulfonated polystyrene-dichlorostyrene-divinylbenzene ion exchange resins, Raymond Feinland, David E. Baldwin, and Harry P. Gregor, 445

Polymers, New

Crystallization of polyethylene terephthalate, W. H. Cobbs, Jr., and R. L. Burton, 275
Sulfonated polystyrene-dichlorostyrene-divinylbenzene ion exchange resins, Raymond Feinland, David E. Baldwin, and Harry P. Gregor, 445
Polycondensat on of six-membered lactones, V. Stannett and M. Szwarc, 587

Polymerization, Catalysts and Mechanisms

Polymerization in bulk at high pressures, K. H. Klaassens and J. H. Gisolf, 149
Kinetics of removal of the easily accessible fraction from cellulose fibers in acid hydrolysis, Alexander Meller, 213
Relation between rate constants, frequency factors, and activation energies in polymerization reactions, John Rehner, Jr., 442
A new phenomenon in flow birefringence of solutions of macromolecular substances, E. J. Arlman, W. Boog, and D. J. Coumou, 543
Determination of the leveling-off degree of polymerization of cotton and rayon, Mary L. Nelson and Verne W. Tripp, 577

Polymerization, Condensation

Polycondensation of six-membered lactones, V. Stannett and M. Szwarc, 587

Polymer News

Symposium on molecular structure and spectroscopy, 200
M. K. Evans, *In Memoriam*, 513
Fifth Canadian High Polymer Forum, 558

Polyring Pyrrolidone

Intrinsic viscosity-molecular weight relationships for dextran, M. Wales, P. A. Marshall, and S. G. Weissberg, 229
Determination of molecular weight of polyvinylpyrrolidone, H. P. Frank and Gabor B. Levy, 371

Proteins

Spaltung des fibrinmoleküls mittels cupriäthylendiamin, E. Schauenstein und M. Hochenegger, 63
Sur l'étude des mélanges de protéines au moyen de la lumière diffusée, Sylvanie Guinand, Françoise Labeyrie, et Jacques Tonnelat, 167
Photochemistry of proteins. XVII. Inactivation of enzymes with ultraviolet light and photolysis of the peptide bond, A. D. McLaren, Philip Gentile, David C. Kirk, Jr., and Norman A. Levin, 333

Reviews

Copolymerization (High Polymers, Vol. VIII), Turner Alfrey, Jr., John J. Bohrer, and H. Mark, 127
Monomers, Section II, E. R. Blout and H. Mark, 127
Cellulose acetate plastics, Vivian Stannett, 128
Physical chemistry of surface films, William K. Harkins, 256
Aminoplastes, (Collection *Materiaux de synthèse*), Pierre Talet, 488
Le bois. Second edition, A. Guillemonat, 488

Rubbers

Copolymerization of vinylsulfonic acid derivatives with butadiene, C. S. Marvel, V. C. Menikheim, H. K. Inskip, W. K. Taft, and B. G. Labbe, 39
Rupture of rubber. I. Characteristic energy for tearing, R. S. Rivlin and A. G. Thomas, 291
Infrared examination of various polyisoprenes, W. S. Richardson and A. Sacher, 353
An interesting property of certain conductive rubbers, L. G. Kersta, 447
Relation between stress relaxation and aging resistance of rubber vulcanizates. II. Effect of copper in various accelerated stocks, H. Leth Pedersen, 449
Attempted fractionation of GR-S by means of selective gelation in the latex, M. A. Golub, 591
Dilatometry in the polymerization of styrene, W. Cooper and R. K. Smith.

(*Errata*, article in *J. Polymer Sci.*, 9, 463–465, 1952), 594

Solution and Solution Properties

Macromolecular extension and hydrodynamic parameters in intrinsic viscosity, Seymour Newman and Paul J. Flory, 121
Shear dependence of the viscosity-concentration equation, Josef Schurz, 123
Method of determining intrinsic viscosity from data at one concentration, W. E. Roseveare and Louise Poore, 126
X-ray and light scattering by chain molecules in solution, G. Porod, 157
Properties of dilute solutions of polymethylmethacrylate. II, J. Bischoff and V. Desreux, 437
Benzoyl peroxide initiated polymerization kinetics of vinyl monomers in various solvents, André Conix and G. Smets, 525

Thermodynamics and Statistics

Macromolecular extension and hydrodynamic parameters in intrinsic viscosity, Seymour Newman and Paul J. Flory, 121
Shear dependence of the viscosity-concentration equation, Josef Schurz, 123
Method of determining intrinsic viscosity from data at one concentration, W. E. Roseveare and Louise Poore, 126
Viscometric detection of branching in polymers. II. Branching in poly(butadiene-*co*-styrene) as a function of polymerization temperature, L. H. Cragg and G. R. H. Fern, 185
Rupture of rubber. I. Characteristic energy for tearing, R. S. Rivlin and A. G. Thomas, 291
Copolymerization of dienes with acrylic and methacrylic acids, Charles E. Frank, Gerard Kraus, and Albert J. Haefner, 441
Notes on the statistics of polymer chains, R. Ullman and J. J. Hermans 559

Viscosity

Bestimmung des durchmessers geknäuelter fadenmoleküle aus lichtzerstäuung und viskositätszahl: Untersuchungen an polymethylmethacrylaten, G. V. Schulz, H.-J. Cantow, and G. Meyerhoff, 79
Macromolecular extension and hydrodynamic parameters in intrinsic viscosity, Seymour Newman and Paul J. Flory, 121
Shear dependence of the viscosity-concentration equation, Josef Schurz, 123
Method of determining intrinsic viscosity from data at one concentration, W. E. Roseveare and Louise Poore, 126
Viscometric detection of branching in polymers. II. Branching in poly(butadiene-*co*-styrene) as a function of polymerization temperature, L. H. Cragg and G. R. H. Fern, 185
Intrinsic viscosity-molecular weight relationships for dextran, M. Wales, P. A. Marshall, and S. G. Weissberg, 229
Role of velocity gradient in viscosity measurements of polymethacrylic acid solutions, A. Katchalsky and N. Sternberg (Shavit), 253
Viscosity, sedimentation, diffusion, and osmotic behavior of long-chain nitrocellulose molecules, Seymour Newman, Leopold Loeb, and Carl M. Conrad, 463

Vulcanization and Crosslinking

Effects of the ionizable components in cast phenoplasts, Thomas G. Harris and Harvey A. Neville, 19
Viscometric detection of branching in polymers. II. Branching in poly(butadiene-*co*-styrene) as a function of polymerization temperature, L. H. Cragg and G. R. H. Fern, 185
Relation between stress relaxation and aging resistance of rubber vulcanizates. II. Effect of copper in various accelerated stocks, H. Leth Pedersen, 449
The structure of branched polymers of diallyl phthalate, W. Simpson, T. Holt, and R. J. Zetie, 489

X-Ray Investigations

X-ray and light scattering by chain molecules in solution, G. Porod, 157
Investigation of halo patterns of amorphous polymers, A. Charlesby, 201